

MVista Blastomyces Quantitative Antigen, Serum

Test ID: FBMS

Explanation:

Effective March 28, 2023, Test ID FMBS, referred to MiraVista Diagnostics, will be obsolete due availability of Mayo Test ID HIBAG.

Recommended Alternative Test:

***Histoplasma and Blastomyces* Antigen, Enzyme Immunoassay, Serum**

Test ID: HIBAG

Methodology:

Enzyme Immunoassay (EIA)

Reference Values:

Histoplasma/Blastomyces Antigen Result:
Not Detected

Histoplasma/Blastomyces Antigen Value:
Not Detected
Detected: <1.5 ng/mL
Detected: 1.5-25.0 ng/mL
Detected: >25.0 ng/mL

Reference values apply to all ages.

Specimen Requirements:

Collection Container/Tube:

Preferred: Serum gel

Acceptable: Red top

Submission Container/Tube: Plastic vial

Specimen Volume: 1 mL

Collection Instructions: Centrifuge and aliquot serum into a plastic vial.

Specimen Stability Information:

Specimen Type	Temperature	Time
Serum	Refrigerated (preferred)	28 days
	Ambient	72 hours
	Frozen	28 days

CPT Code:

87449

Day(s) Setup: Monday through Saturday

Analytic Time: Same day/1 day

Questions

Contact MCL Referrals Supervisor Amy Bluhm at 800-533-1710.