

## Diazepam and Nordiazepam, Serum

**Test ID:** DIA

**Explanation:** This assay has been redeveloped, and testing will resume on the effective date. The redevelopment resulted in the following changes:

Current Reporting Name
Diazepam and Nordiazepam, S

New Reporting Name
Diazepam and metabolites, S

Current Reference Value
Therapeutic concentrations Diazepam and Nordiazepam: 200-2,500 ng/mL

New Reference Value
Therapeutic concentrations Diazepam: Not established Diazepam and Nordiazepam: 100-2,500 ng/mL  Cutoff concentrations by liquid chromatography tandem mass spectrometry: Diazepam: 10 ng/mL Nordiazepam: 10 ng/mL Oxazepam: 10 ng/mL Temazepam: 10 ng/mL

Current Specimen Stability		
Specimen	Temperature	Time
Serum Red	Refrigerated (preferred)	14 days
	Ambient	14 days
	Frozen	14 days

New Specimen Stability		
Specimen	Temperature	Time
Serum Red	Refrigerated (preferred)	28 days
	Ambient	28 days
	Frozen	28 days

Current Resultables	
Result ID	Result Name

New Resultables	
Result ID	Result Name

8629	Diazepam
2475	Nordiazepam
2459	Diazepam and Nordiazepam

8629	Diazepam
2475	Nordiazepam
2459	Diazepam and Nordiazepam
622868	Oxazepam
622869	Temazepam

<b>Current Days Performed</b>
Monday, Wednesday

<b>New Days Performed</b>
Wednesday

### Note:

The following alternate referral code will become obsolete:

Test Name	Test ID	Referral Lab Code	Referral Lab
Diazepam and Metabolites, Serum/Plasma	ZW86	1501SP	NMS Labs

### Questions

Contact Brandon DeBoom, Laboratory Resource Coordinator at 800-533-1710.