

Tubular Reabsorption of Phosphorus, Random Urine and Serum

Test ID: RTRP2

Explanation: On the effective date, the profile and specimen stabilities will be updated as described below.

Current Profile Information			
Test ID	Reporting Name	Available Separately	Always Performed
PHOS	Phosphorus (Inorganic), S	Yes	Yes

New Profile Information			
Test ID	Reporting Name	Available Separately	Always Performed
ACREA	Creatinine, S	Yes (CRTS1)	Yes
CRETR	Creatinine, Random, U	Yes (RCTUR)	Yes
PHOSS	Phosphorus (Inorganic), S	Yes (PHOS)	Yes
RTRP	Tubular Phosp Reabsorption, Random	No	Yes

Current Specimen Stability		
Specimen	Temperature	Time
Serum	Frozen (preferred)	7 days
	Refrigerated	7 days
Urine	Refrigerated (preferred)	30 days
	Ambient	7 days
	Frozen	14 days

New Specimen Stability		
Specimen	Temperature	Time
Serum	Frozen	90 days
	Refrigerated (preferred)	7 days
Urine	Refrigerated (preferred)	14 days
	Ambient	7 days
	Frozen	30 days

Questions

Contact Nancy Benson, Laboratory Resource Coordinator at 800-533-1710.