

## Ovarian Mass Risk Monitoring, OvaWatch, Serum

**Test ID:** OVAWA

**Useful for:**

Serial monitoring and risk assessment for ovarian malignancy in women who present with an adnexal mass clinically assessed as indeterminate or benign

**Methods:**

Immunoassay/Multivariate Index Assay/Electrochemiluminescence Immunoassay (ECLIA)

**Reference Values:**

An interpretive report will be provided.

**Specimen Requirements:**

**Collection Container/Tube:**

**Preferred:** Serum Gel

**Acceptable:** Red Top

**Submission Container/Tube:** Plastic vial

**Specimen Volume:** 2 mL Serum

**Collection Instructions:**

1. Allow the specimen to clot for at least 30 minutes.
2. Within 2 hours of collection, centrifuge the specimen.
3. For serum gel tubes, aliquot serum into a plastic vial or send centrifuged serum gel tube.
4. For red top tubes, aliquot serum into a plastic vial within 10 minutes of centrifugation.

**Minimum Volume:** Serum: 1.5 mL

**Specimen Stability Information:**

Specimen Type	Temperature	Time
Serum	Refrigerated (preferred)	8 days
	Frozen	90 days

**Cautions:**

OvaWatch results should always be interpreted in combination with clinical assessment, personal history, and imaging studies.

**CPT Code:**

0375U

**Day(s) Performed:** Monday, Wednesday, Friday

**Report Available:** 5 days

**Questions**

Contact Bethany Feind, Laboratory Resource Coordinator at 800-533-1710.