MAYO CLINIC LABORATORIES

FILE DEFINITION TEST CHANGE

Notification Date: November 4, 2026
Effective Date: December 8, 2026

Osmotic Fragility, Erythrocytes

Test ID: FRAG

Explanation: On the effective date the following changes Profile and Staiblity changes will go live.

Current Profile Information	
Test ID	**Reporting Name**
FRAGO	Osmotic Fragility
SCTRL	Shipping Control Vial

New Profile Information	
Test ID	**Reporting Name**
OFINT	**Osmotic Fragility Interpretation**
FRAGO	Osmotic Fragility
SCTRL	Shipping Control Vial

Current Result Codes	
Result ID	**Reporting Name**
3310	**Osmotic Fragility Comment**
9064	Osmotic Fragility, RBC
3306	Osmotic Fragility, 0.50 g/dL NaCl
3307	Osmotic Fragility, 0.60 g/dL NaCl
3308	Osmotic Fragility, 0.65 g/dL NaCl
3309	Osmotic Fragility, 0.75 g/dL NaCl
SCTRL	Shipping Control Vial

New Result Codes	
Result ID	**Reporting Name**
624140	**Osmotic Fragility Interpretation**
9064	Osmotic Fragility, RBC
3306	Osmotic Fragility, 0.50 g/dL NaCl
3307	Osmotic Fragility, 0.60 g/dL NaCl
3308	Osmotic Fragility, 0.65 g/dL NaCl
3309	Osmotic Fragility, 0.75 g/dL NaCl
SCTRL	Shipping Control Vial

Current Specimen Stability			
Specimen Type	**Temperature**	**Time**	**Special Container**
Control	Refrigerated	72 hours	PURPLE OR PINK TOP/EDTA
Whole Blood EDTA	Refrigerated	72 hours	

New Specimen Stability			
Specimen Type	**Temperature**	**Time**	**Special Container**
Control	Refrigerated	96 hours	PURPLE OR PINK TOP/EDTA
Whole Blood EDTA	Refrigerated	96 hours	

Questions

Contact Bethany Feind, Laboratory Resource Coordinator at 800-533-1710.

© Mayo Foundation for Medical Education and Research. All rights reserved.