



Patient ID <b>SA00069937</b>	Patient Name <b>SAMPLEREPORT, FPRTF N</b>	Birth Date <b>1970-11-09</b>	Gender <b>M</b>	Age <b>43</b>
Order Number <b>SA00069937</b>	Client Order Number <b>SA00069937</b>	Ordering Physician <b>Client, Client</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>25 Aug 2014 13:00</b>		

## Parrot Australian Feathers IgE

### Parrot Australian Feathers IgE

<0.10 kU/L

Y165

Reference Value  
<0.35

### CLASS

Y165

0

The test method is the Phadia ImmunoCAP allergen-specific IgE system. CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10–0.34 kU/L= 0/1, Equivocal/Borderline; 0.35–0.69 kU/L=1, Low Positive; 0.70–3.49 kU/L=2, Moderate Positive; 3.50–17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00–99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive

**Received:** 26 Aug 2014 08:41

**Reported:** 26 Aug 2014 11:28

### Performing Site Legend

Code	Laboratory	Address
Y165	Viracor-IBT Laboratories	1001 NW Technology Dr, Lee's Summit, MO 64086