



Patient ID <b>SA00008557</b>	Patient Name <b>TESTINGRNV, TBNEG</b>	Birth Date <b>1956-05-17</b>	Gender <b>M</b>	Age <b>60</b>
Order Number <b>SA00008557</b>	Client Order Number <b>SA00008557</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>17 May 2016 12:00</b>		

**M tuberculosis Complex PCR**

**MTB Complex PCR, Specimen Source**

SPUTUM

MCR

**MTB Complex PCR, Result**

Negative

**1** MCR

**Reference Value**  
Not Applicable

**Received:** 18 May 2016 14:09

**Reported:** 18 May 2016 14:26

Test Environment  
Standard Template

**Laboratory Notes**

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292