

Patient ID <b>SA00008556</b>	Patient Name <b>TESTINGRNV, TBPOS</b>	Birth Date <b>1982-05-03</b>	Gender <b>F</b>	Age <b>34</b>
Order Number <b>SA00008556</b>	Client Order Number <b>SA00008556</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>17 May 2016 10:00</b>		

## M tuberculosis Complex PCR

**MTB Complex PCR, Result**

**Positive**
**Crit**
**Critical Result.**

KatG(S315T) mutation not detected but all loci that may confer INH resistance are not tested with this assay.

**1 MCR**
**Reference Value**  
Not Applicable

**MTB Complex PCR, Specimen Source**
**MCR**

SPUTUM

**Received:** 18 May 2016 14:08

**Reported:** 18 May 2016 14:26

**Laboratory Notes**

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292