



Patient ID SA00083373	Patient Name SAMPLEREP, FFP4 A	Birth Date 1970-08-31	Gender M	Age 46
Order Number SA00083373	Client Order Number SA00083373	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 11 Dec 2016 13:00		

Food Panel IgG4 (532)

Corn IgG4

0.25 mcg/mL
 High


Y165

 Reference Value
 <0.15

Wheat IgG4

0.25 mcg/mL
 High


Y165

 Reference Value
 <0.15

Egg White IgG4

0.25 mcg/mL
 High


Y165

 Reference Value
 <0.15

Yeast(Saccharomyces cerevisiae)IgG4

0.25 mcg/mL
 High


Y165

 Reference Value
 <0.15

Egg Yolk IgG4

0.25 mcg/mL
 High


Y165

 Reference Value
 <0.15

Milk Cow IgG4

0.25 mcg/mL
 High


Y165

 Reference Value
 <0.15

Peanut IgG4

0.25 mcg/mL
 High

Y165

 Reference Value
 <0.15

Soybean IgG4

0.25 mcg/mL
 High

Y165

 Reference Value
 <0.15

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization to the food allergen in question. *This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 12 Dec 2016 12:25

Reported: 13 Dec 2016 09:29

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Viracor Eurofins	1001 NW Technology Dr, Lee's Summit, MO 64086		