







Patient ID <b>SA00083430</b>	Patient Name <b>SAMPLEREPOR, FG4FP A</b>	Birth Date <b>1970-08-31</b>	Gender <b>M</b>	Age <b>46</b>
Order Number <b>SA00083430</b>	Client Order Number <b>SA00083430</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>12 Dec 2016 13:00</b>		



## IgG4 Food Panel VIII



**Corn IgG4**

**1.50 mcg/mL**  

**Y165**
**Reference Value**  
 <0.15

**Wheat IgG4**

**0.75 mcg/mL**  

**Y165**
**Reference Value**  
 <0.15

**Egg White IgG4**

**2.50 mcg/mL**  

**Y165**
**Reference Value**  
 <0.15


The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization to the food allergen in question. \*This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

**Milk Cow IgG4**

**3.00 mcg/mL**  

**Y165**
**Reference Value**  
 <0.15

**Peanut IgG4**

**0.55 mcg/mL**  

**Y165**
**Reference Value**  
 <0.15

**Received:** 13 Dec 2016 11:58

**Reported:** 13 Dec 2016 16:54

**Soybean IgG4**

**4.00 mcg/mL**  

**Y165**
**Reference Value**  
 <0.15

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Viracor Eurofins	1001 NW Technology Dr, Lee's Summit, MO 64086		