



Patient ID SA00083615	Patient Name SAMPLEREPORT, FRUB A	Birth Date 1970-08-31	Gender M	Age 46
Order Number SA00083615	Client Order Number SA00083615	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 14 Dec 2016 13:00		

Rhubarb IgE

Rhubarb IgE



0.50 kU/L

High

Y165

Reference Value
<0.35

CLASS

Y165

1

This conventional EIA uses allergen-coated discs from several suppliers and an enzyme-labeled anti-IgE. CLASS INTERPRETATION: <0.35 kU/L=0, Below Detection; 0.35–0.69 kU/L= 1, Low Positive; 0.70–3.49 kU/L= 2, Moderate Positive; 3.50–17.49 kU/L= 3, Positive; 17.50–49.99 kU/L= 4, Strong Positive; 50.00–99.99 kU/L= 5, Very Strong Positive; >99.99 kU/L= 6, Very Strong Positive *This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 15 Dec 2016 07:35

Reported: 15 Dec 2016 09:53

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Viracor Eurofins	1001 NW Technology Dr, Lee's Summit, MO 64086		