

| | | | | |
|---|--|--|--------------------|------------------|
| Patient ID C7028846-0004333 | Patient Name SAMPLEREPORT, FNIAC | Birth Date 1971-01-01 | Gender F | Age 46 |
| Order Number X100210291 | Client Order Number X100210291 | Ordering Physician DOE, JANE | Report Notes | |
| Account Information C7028846 DLMP Rochester | | Collected 13 Apr 2017 05:00 | | |

Niacin (Nicotinic Acid)
Niacin

Y017

1.25 ug/mL

ADDITIONAL INFORMATION

Adult Reference Range

>10 years

Normal 0.50 - 8.45

Low < 0.50

High > 8.45

Pediatric Reference Range

<10 years

Normal 0.50 - 8.91

Low < 0.50

High > 8.91

The performance characteristics of the listed assay was validated by Cambridge Biomedical Inc. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. Cambridge Biomedical Inc. is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.

Received: 14 Apr 2017 15:06

Reported: 14 Apr 2017 15:07

Performing Site Legend

| Code | Laboratory | Address | Lab Director | CLIA Certificate |
|------|---------------------------|--|--------------|------------------|
| Y017 | Cambridge Biomedical Inc. | 1320 Soldiers Field Road, Boston, MA 02135 | | |