

Patient ID SA00104711	Patient Name SAMPLEREPORT, CDRCRNORM	Birth Date 1979-08-26	Gender F	Age 38
Order Number SA00104711	Client Order Number SA00104711	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 18 Feb 2018 06:36		

Cadmium/Creat Ratio, Random, U

Cadmium/Creatinine Ratio, U

0.4 mcg/g Cr

1 SDL

 Reference Value
<0.6

Creatinine Conc

145 mg/dL

MCR
Received: 19 Feb 2018 09:43

Reported: 19 Feb 2018 10:19

Test Environment
Standard Template

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292