



Patient ID SA00107184	Patient Name TESTINGRNV, HIQNP4	Birth Date 1996-07-24	Gender F	Age 21
Order Number SA00107184	Client Order Number SA00107184	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 14 Jun 2018 06:00		

REVISED REPORT

REVISED HIV-1 RNA Detect/Quant Prenatal, P

1 SDL

Inconclusive copies/mL

Reference Value
Undetected

Inconclusive result. Submit a new specimen for testing if clinically indicated.

ADDITIONAL INFORMATION

The quantification range of this assay is 20 to 10,000,000 copies/mL (1.30 log to 7.00 log copies/mL). Testing was performed using the cobas HIV-1 test (Roche Molecular Systems, Inc.) with the cobas 6800 System.

Received: 15 Jun 2018 08:04

Reported: 15 Jun 2018 08:12

Test Environment Standard Template

Laboratory Notes

- 1** This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592



Patient ID SA00107184	Patient Name TESTINGRNV, HIQNP4	Birth Date 1996-07-24	Gender F	Age 21
Order Number SA00107184	Client Order Number SA00107184	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 14 Jun 2018 06:00		

REVISED REPORT

Previously Reported As:

HIV-1 RNA Detect/Quant Prenatal, P

Previously reported on 15 Jun 2018 at 08:06 as:



15000

Result in log copies/mL is 4.18.

SDL
Reference Value
Undetected

Test Environment
Standard Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592