

Patient ID SA00108999	Patient Name SAMPLEREPOR, GIP	Birth Date 1992-04-02	Gender M	Age 26
Order Number SA00108999	Client Order Number SA00108999	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 01 Aug 2018 07:00		

GI Pathogen Panel, PCR, F

Specimen Source

STOOL

MCR

Campylobacter species

Negative

MCR

Reference Value
Negative

Clostridium difficile toxin
 Positive

MCR

Reference Value
Negative



 A positive *C. difficile* result may reflect asymptomatic carriage or *C. difficile*-associated diarrhea. **Semi-Urgent**
Result.
Plesiomonas shigelloides

Negative

MCR

Reference Value
Negative

Salmonella species

Negative

MCR

Reference Value
Negative

Vibrio species

Negative

MCR

Reference Value
Negative

Vibrio cholerae

Negative

MCR

Reference Value
Negative

Yersinia species

Negative

MCR

Reference Value
Negative

Enteroaggregative E. coli (EAEC)

Negative

MCR

Reference Value
Negative

Enteropathogenic E. coli (EPEC)

Negative

MCR

Reference Value
Negative

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292

Patient ID SA00108999	Patient Name SAMPLEREP, GIP	Birth Date 1992-04-02	Gender M	Age 26
Order Number SA00108999	Client Order Number SA00108999	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 01 Aug 2018 07:00		

Enterotoxigenic E. coli (ETEC)
Negative
MCR
Reference Value
Negative

Adenovirus F40/41
Negative
MCR
Reference Value
Negative

Shiga toxin producing E. coli
Negative
MCR
Reference Value
Negative

Astrovirus
Negative
MCR
Reference Value
Negative

Shigella/Enteroinvasive E. coli
Negative
MCR
Reference Value
Negative

Norovirus GI/GII
Negative
MCR
Reference Value
Negative

Cryptosporidium species
Negative
MCR
Reference Value
Negative

Rotavirus
Negative
MCR
Reference Value
Negative

Cyclospora cayetanensis
Negative
MCR
Reference Value
Negative

Sapovirus
Negative
MCR
Reference Value
Negative

Entamoeba histolytica
Negative
MCR
Reference Value
Negative

ADDITIONAL INFORMATION

This assay is performed using the FDA-cleared FilmArray GI Panel (BioFire Diagnostics, Inc.).

Giardia
Negative
MCR
Reference Value
Negative

Received: 01 Aug 2018 13:06

Reported: 01 Aug 2018 13:09

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292