

Patient ID <b>SA00117411</b>	Patient Name <b>TESTINGRNV, ABREPORTICRU</b>	Birth Date <b>1988-02-23</b>	Gender <b>F</b>	Age <b>30</b>
Order Number <b>SA00117411</b>	Client Order Number <b>SA00117411</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>24 Jan 2019 08:50</b>		

## Iodine/Creat Ratio, Random, U

**Iodine/Creat Ratio, U**

**588 mcg/g Cr**
**High**
**1** **SDL**
**Reference Value**  
 <584

**Creatinine Conc**
**MCR**
**100 mg/dL**
**Received: 25 Jan 2019 09:06**
**Reported: 25 Jan 2019 09:12**

Test Environment  
 Standard Template

### Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292