

Patient ID <b>SA00116060</b>	Patient Name <b>TESTINGRNV, IGGSNORMAL</b>	Birth Date <b>1966-06-10</b>	Gender <b>F</b>	Age <b>52</b>
Order Number <b>SA00116060</b>	Client Order Number <b>SA00116060</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>09 Jan 2019 06:00</b>		

## IgG Subclasses, S

**Total IgG**

781 mg/dL

 SDL  
Reference Value  
767-1590

**IgG 3**

35.0 mg/dL

 SDL  
Reference Value  
18.4-106.0

**IgG 1**

350 mg/dL

 SDL  
Reference Value  
341-894

**IgG 4**

121.0 mg/dL

 SDL  
Reference Value  
2.4-121.0

**IgG 2**

275 mg/dL

 SDL  
Reference Value  
171-632

**Received:** 09 Jan 2019 14:49

**Reported:** 09 Jan 2019 14:50

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592