

Patient ID <b>SA00122964</b>	Patient Name <b>TESTINGRNV, SAMPLEREPORT</b>	Birth Date <b>1982-06-29</b>	Gender <b>F</b>	Age <b>37</b>	
Order Number <b>SA00122964</b>	Client Order Number <b>SA00122964</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes		
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>15 Sep 2019 10:00</b>			

## S-Sulfocysteine Panel, U

### Interpretation (SSCTU)

\*NEGATIVE\* In this urine sample, the concentrations of s-sulfocysteine and associated purines and pyrimidines were normal.

#### ADDITIONAL INFORMATION

Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

### Hypoxanthine

15 mmol/mol Cr

### Xanthine

13 mmol/mol Cr

**1** MCR

MCR  
Reference Value  
≤ 30

MCR  
Reference Value  
≤ 20

### Uric Acid

204 mmol/mol Cr

### S-Sulfocysteine

5 mmol/mol Cr

### Reviewed By

Amy Breitlow

**Received:** 16 Sep 2019 10:46

**Reported:** 16 Sep 2019 13:05

MCR

Reference Value  
70–700

MCR

Reference Value  
≤ 5

MCR

### Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292