



Carbohydrate Antigen 19-9 (CA 19-9), Peritoneal Fluid

Patient ID SA00361736	Patient Name TESTINGRNV, REPORTS ABE	Birth Date 1977-08-27	Gender F	Age 40
Order Number SA00361736	Client Order Number SA00361736	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 05 Sep 2017 09:30		

CA 19-9, Peritoneal Fluid

CA 19-9, Peritoneal Fluid

1 **SDL**

40 U/mL

A peritoneal fluid CA19-9 concentration >32 U/mL is suspicious but not diagnostic of a malignant source of the ascites. This cutoff yielded 49% sensitivity, 93% specificity in a study of 137 patients presenting with ascites. CA19-9 levels in peritoneal fluid are most informative when interpreted in conjunction with the CA19-9 serum levels. Tumor marker tests are not specific for malignancy. This test result should be interpreted in the context of clinical presentation, imaging and cytology findings.

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed

on the UniCel Dxl 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Site

SDL

Left

Received: 06 Sep 2017 11:03

Reported: 06 Sep 2017 11:08

Laboratory Notes

- 1** This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901