

Patient ID SA00124695	Patient Name SAMPLEREPORT, FFTMV N	Birth Date 1970-11-09	Gender M	Age 49
Order Number SA00124695	Client Order Number SA00124695	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 16 Dec 2019 13:00		

Trichophyton ment var interdig IgE

Trichophyton ment var interdig IgE

0.25 kU/L

Y165
Reference Value
 <0.35

Class

0/1

Y165

The test method is the Phadia ImmunoCAP allergen-specific IgE system. CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10–0.34 kU/L= 0/1, Equivocal/Borderline; 0.35–0.69 kU/L=1, Low Positive; 0.70–3.49 kU/L=2, Moderate Positive; 3.50–17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00–99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive

*This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 17 Dec 2019 14:52

Reported: 18 Dec 2019 08:13

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Viracor Eurofins	1001 NW Technology Dr, Lee's Summit, MO 64086		