

Patient ID C7028846-0004546	Patient Name AMBF, TESTING	Birth Date 1991-05-15	Gender M	Age 28
Order Number X100293340	Client Order Number X100293340	Ordering Physician unknown	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 15 Jul 2019 08:00		

Amylase, BF

Amylase, BF

40 U/L

MCR

Reference Value
See Comment

for further interpretive information. This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

ADDITIONAL INFORMATION

Peritoneal and Drain fluid amylase activity in non-pancreatic peritoneal fluid is often less than or equal to the serum amylase activity. Ascites associated with pancreatitis typically has amylase activity at least 5-fold greater than serum. Normal pleural fluid amylase activity is typically less than the upper limit of normal serum amylase and has a ratio of pleural fluid amylase to serum amylase ratio <1.0. All other fluids refer to www.mayocliniclabs.com

Fluid Type, Amylase

MCR

PLEURAL

Received: 18 Jul 2019 13:18

Reported: 18 Jul 2019 13:19

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292