

Patient ID <b>SA00080297</b>	Patient Name <b>SAMPLEREPORT, VLTB N</b>	Birth Date <b>1966-09-01</b>	Gender <b>M</b>	Age <b>50</b>
Order Number <b>SA00080297</b>	Client Order Number <b>SA00080297</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>16 Oct 2016 12:00</b>		

## Volatile Scrn, B

**Methanol, B**

SDL

Not Detected mg/dL

**REFERENCE VALUE**

 Not detected (Positive results are quantitated)  $\geq 10$  (Toxic concentration)

**Ethanol, B**

SDL

Not Detected mg/dL

**REFERENCE VALUE**

 Not detected (Positive results are quantitated)  $\geq 400$  (Toxic concentration)

**Acetone, B**

SDL

Not Detected mg/dL

**REFERENCE VALUE**

 Not detected (Positive results are quantitated)  $\geq 10$  (Toxic concentration)

**Isopropanol, B**

SDL

Not Detected mg/dL

**REFERENCE VALUE**

 Not detected (Positive results are quantitated)  $\geq 10$  (Toxic concentration)

**Received:** 17 Oct 2016 14:40

**Reported:** 17 Oct 2016 14:44

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592