

Patient ID <b>C7028846-0004766</b>	Patient Name <b>TESTING, RESPM</b>	Birth Date <b>1991-05-15</b>	Gender <b>M</b>	Age <b>28</b>
Order Number <b>X100315098</b>	Client Order Number <b>X100315098</b>	Ordering Physician <b>unknown</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>12 Mar 2020 08:05</b>		

## Respiratory Pathogen Panel, PCR, NP

**Specimen Source**

NASOPHARYNGEAL SWAB

MCR

**Adenovirus**

Negative

MCR

**Reference Value**  
Negative

**Coronavirus 229E**

Negative

MCR

**Reference Value**  
Negative

**Coronavirus HKU1**

Negative

MCR

**Reference Value**  
Negative

**Coronavirus NL63**

Negative

MCR

**Reference Value**  
Negative

**Coronavirus OC43**

Negative

MCR

**Reference Value**  
Negative

**Human Rhinovirus/ Enterovirus**

Negative

MCR

**Reference Value**  
Negative

**Human Metapneumovirus**

Negative

MCR

**Reference Value**  
Negative

**Influenza A**

Negative

MCR

**Reference Value**  
Negative

**Influenza B**

Negative

MCR

**Reference Value**  
Negative

**Parainfluenza Virus 1**

Negative

MCR

**Reference Value**  
Negative

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292

Patient ID C7028846-0004766	Patient Name TESTING, RESPM	Birth Date 1991-05-15	Gender M	Age 28
Order Number X100315098	Client Order Number X100315098	Ordering Physician unknown	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 12 Mar 2020 08:05		

**Parainfluenza Virus 2**

Negative

MCR

 Reference Value  
Negative

**Chlamydomphila pneumoniae**

Negative

MCR

 Reference Value  
Negative

**Parainfluenza Virus 3**

Negative

MCR

 Reference Value  
Negative

**Mycoplasmodes (Mycoplasma) pneumoniae**

Negative

MCR

 Reference Value  
Negative

**Parainfluenza Virus 4**

Negative

MCR

 Reference Value  
Negative

**Interpretation**

MCR

This assay is not predicted to detect SARS-coronavirus (CoV), MERS-CoV, or SARS-CoV-2 (COVID-19). If SARS-CoV or MERS-CoV is suspected, coordinate testing through a local public health laboratory. If SARS-CoV-2 (COVID-19) is suspected, please order specific testing (Mayo Test ID: SCOV2).

**Respiratory Syncytial Virus**

Negative

MCR

 Reference Value  
Negative

**ADDITIONAL INFORMATION**

This assay is performed using the FDA-cleared FilmArray Respiratory Panel (BioFire Diagnostics, Inc.).

**Bordetella pertussis**

Negative

MCR

 Reference Value  
Negative

**Received:** 12 Mar 2020 08:54

**Reported:** 12 Mar 2020 09:00

**Bordetella parapertussis**

Negative

MCR

 Reference Value  
Negative

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292