

Patient ID <b>SA00135774</b>	Patient Name <b>TESTINGRNV, ABNORMALHGUOE</b>	Birth Date <b>1959-06-10</b>	Gender <b>F</b>	Age <b>61</b>
Order Number <b>SA00135774</b>	Client Order Number <b>SA00135774</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>20 Aug 2020 07:33</b>		

## Mercury Occupat Exp, Random, U

### Mercury Occupational Exposure

① SDL


**36 mcg/g Cr**

High

**REFERENCE VALUE**

&lt;35 prior to work shift

### Creatinine, Random, U

② MCR

**100 mg/dL**
**REFERENCE VALUE**

Interpret with other clinical data.

**Received:** 21 Aug 2020 09:37

**Reported:** 21 Aug 2020 11:09

### Laboratory Notes

- This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.
- This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292