

Patient ID C7028846-0004873	Patient Name BNZU, NORMAL	Birth Date 1990-05-15	Gender F	Age 30
Order Number X100335963	Client Order Number X100335963	Ordering Physician unknown	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 11 Nov 2020 05:00		

## Benzodiazepines Confirmation, U

### Benzodiazepines Interpretation

1 SDL

Negative.

#### ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

#### Alprazolam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Alpha-Hydroxyalprazolam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Chlordiazepoxide by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Clonazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### 7-aminoclonazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Diazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Nordiazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Midazolam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Alpha-Hydroxy Midazolam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Oxazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Temazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Clobazam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### N-Desmethyloclobazam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Flunitrazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### 7-aminoflunitrazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Flurazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### 2-Hydroxy Ethyl Flurazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

#### Lorazepam by LC-MS/MS

SDL

Negative ng/mL

 Reference Value  
Cutoff: 10

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592

Patient ID <b>C7028846-0004873</b>	Patient Name <b>BNZU, NORMAL</b>	Birth Date <b>1990-05-15</b>	Gender <b>F</b>	Age <b>30</b>
Order Number <b>X100335963</b>	Client Order Number <b>X100335963</b>	Ordering Physician <b>unknown</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>11 Nov 2020 05:00</b>		

**Prazepam by LC-MS/MS**

Negative ng/mL

SDL

 Reference Value  
Cutoff: 10

**Zolpidem by LC-MS/MS**

Negative ng/mL

SDL

 Reference Value  
Cutoff: 10

**Triazolam by LC-MS/MS**

Negative ng/mL

SDL

 Reference Value  
Cutoff: 10

**Zolpidem Phenyl-4-Carboxylic acid by LC-MS/MS**

Negative ng/mL

SDL

 Reference Value  
Cutoff: 10

**Alpha-Hydroxy Triazolam by LC-MS/MS**

Negative ng/mL

SDL

 Reference Value  
Cutoff: 10

**Received:** 11 Nov 2020 08:10

**Reported:** 11 Nov 2020 09:17

Test  
Environment  
Standard Template

**Laboratory Notes**

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592