

Patient ID <b>SA00141933</b>	Patient Name <b>SAMPLEREPORT, FANTI ABNORMAL</b>	Birth Date <b>1972-02-02</b>	Gender <b>F</b>	Age <b>48</b>
Order Number <b>SA00141933</b>	Client Order Number <b>SA00141933</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>01 Feb 2021 00:00</b>		

**Anti-IgE**


Elevated

**Y165**
**Reference Value**  
Normal

This ELISA measures IgG antibodies specific for IgE. A result of normal indicates that the level of IgG anti-IgE antibodies is similar to that seen in a population of healthy individuals. A result of elevated indicates an increased level of IgG anti-IgE antibodies compared to healthy individuals. These autoantibodies have been implicated as a causative agent in autoimmune chronic urticaria and atopic dermatitis. \*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

**Received:** 02 Feb 2021 13:59

**Reported:** 02 Feb 2021 16:01

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	1001 NW Technology Dr, Lee's Summit, MO 64086		