

Patient ID SA00142311	Patient Name SAMPLEREPORT, FHZCP NORMAL	Birth Date 1999-06-18	Gender F	Age 21
Order Number SA00142311	Client Order Number SA00142311	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 14 Feb 2021 00:00		

Hazelnut Component Panel

Hazelnut Component rCor a 1

<0.10 kU/L

Y165
Reference Value
<0.10

Class

0

Y165
Class

0

Y165
Hazelnut Component rCor a 14

<0.10 kU/L

Y165
Reference Value
<0.10

Hazelnut Component rCor a 8

<0.10 kU/L

Y165
Reference Value
<0.10

Class

0

Y165
Class

0

Y165

The test method is the Phadia ImmunoCAP allergen-specific IgE system. CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10–0.34 kU/L= 0/1, Equivocal/Borderline; 0.35–0.69 kU/L=1, Low Positive; 0.70–3.49 kU/L=2, Moderate Positive; 3.50–17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00–99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive

Hazelnut Component rCor a 9

<0.10 kU/L

Y165
Reference Value
<0.10

Received: 15 Feb 2021 12:26

Reported: 15 Feb 2021 16:12

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	1001 NW Technology Dr, Lee's Summit, MO 64086		