

Patient ID SA00142319	Patient Name SAMPLEREPORT, FWWE ABNORMAL	Birth Date 1990-11-25	Gender M	Age 30
Order Number SA00142319	Client Order Number SA00142319	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 14 Feb 2021 00:00		

Hemp Western Water IgE

Hemp Western Water IgE

25.99 kU/L
High
Y165
Reference Value
<0.35

CLASS
Y165
4

This conventional EIA uses allergen-coated discs from several suppliers and an enzyme-labeled anti-IgE. CLASS INTERPRETATION: <0.35 kU/L=0, Below Detection; 0.35–0.69 kU/L= 1, Low Positive; 0.70–3.49 kU/L= 2, Moderate Positive; 3.50–17.49 kU/L= 3, Positive; 17.50–49.99 kU/L= 4, Strong Positive; 50.00–99.99 kU/L= 5, Very Strong Positive; >99.99 kU/L= 6, Very Strong Positive *This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 15 Feb 2021 14:00

Reported: 15 Feb 2021 16:13

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	1001 NW Technology Dr, Lee's Summit, MO 64086		