

Patient ID <b>SA00142657</b>	Patient Name <b>SAMPLEREPORT, FPOM ABNORMAL</b>	Birth Date <b>2009-07-10</b>	Gender <b>F</b>	Age <b>11</b>
Order Number <b>SA00142657</b>	Client Order Number <b>SA00142657</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>23 Feb 2021 00:00</b>		

## Pomegranate IgE

**Pomegranate IgE**

**High**
**8.95 kU/L**
**Y165**
**Reference Value  
<0.35**
**CLASS**
**Y165**
**3**

This conventional EIA uses allergen-coated discs from several suppliers and an enzyme-labeled anti-IgE. CLASS INTERPRETATION: <0.35 kU/L=0, Below Detection; 0.35–0.69 kU/L= 1, Low Positive; 0.70–3.49 kU/L= 2, Moderate Positive; 3.50–17.49 kU/L= 3, Positive; 17.50–49.99 kU/L= 4, Strong Positive; 50.00–99.99 kU/L= 5, Very Strong Positive; >99.99 kU/L= 6, Very Strong Positive \*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

**Received: 24 Feb 2021 09:16**
**Reported: 24 Feb 2021 17:07**
**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	1001 NW Technology Dr, Lee's Summit, MO 64086		