

| | | | | |
|---|---|--|--------------------|------------------|
| Patient ID SA00142747 | Patient Name SAMPLEREPORT, FSOYG NORMAL | Birth Date 1965-05-15 | Gender F | Age 55 |
| Order Number SA00142747 | Client Order Number SA00142747 | Ordering Physician CLIENT,CLIENT | Report Notes | |
| Account Information C7028846 DLMP Rochester | | Collected 25 Feb 2021 00:00 | | |

Soybean IgG
Y165
<2.0 mcg/mL

Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be

recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. *This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 26 Feb 2021 08:04
Reported: 26 Feb 2021 15:42

Test Environment
LTCSEQ Template

Performing Site Legend

| Code | Laboratory | Address | Lab Director | CLIA Certificate |
|------|------------------|---|--------------|------------------|
| Y165 | Eurofins Viracor | 1001 NW Technology Dr, Lee's Summit, MO 64086 | | |