

Patient ID <b>SA00147362</b>	Patient Name <b>TESTING, CDAUX</b>	Birth Date <b>1990-08-08</b>	Gender <b>M</b>	Age <b>31</b>
Order Number <b>SA00147362</b>	Client Order Number <b>SA00147362</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>16 Aug 2021 08:00</b>		

## Adulterants Survey, CoC, U

**Oxidants**
**Positive**

 SDL  
**Reference Value**  
 Cutoff: 200 mg/L

**pH**
**6.6**

SDL

**Creatinine, U**
**123.4 mg/dL**

SDL

**Nitrites**
**Negative**

 SDL  
**Reference Value**  
 Cutoff: 500 mg/L

**Specific Gravity**
**1.004**

SDL

**Comment**
**Normal**

SDL

**Received:** 17 Aug 2021 11:53

**Reported:** 17 Aug 2021 12:41

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592

Patient ID <b>SA00147362</b>	Patient Name <b>TESTING, CDAUX</b>	Birth Date <b>1990-08-08</b>	Gender <b>M</b>	Age <b>31</b>
Order Number <b>SA00147362</b>	Client Order Number <b>SA00147362</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>16 Aug 2021 08:00</b>		

## Confirmed Drug Abuse Panel, CoC, U

### Tetrahydrocannabinol


**Abn**
**Presumptive Positive ng/mL**

This immunoassay targets delta-9 tetrahydrocannabinol carboxylic acid (THC-COOH), a metabolite of delta-9 tetrahydrocannabinol the main psychoactive ingredient of marijuana. Drug confirmation to follow. Presumptive Positive means that the screening method is positive, but the test needs to be run by a confirmatory method before being finalized.

### Alcohol

**Negative mg/dL**

### Amphetamines

**Negative ng/mL**

### Barbiturates

**Negative ng/mL**

### Benzodiazepines

**Negative ng/mL**
**SDL**
**Reference Value**  
Cutoff: 50

### Cocaine

**Negative ng/mL**

This cocaine immunoassay targets benzoylecgonine the primary metabolite of cocaine.

**SDL**
**Reference Value**  
Cutoff: 150

### Opiates

**Negative ng/mL**
**SDL**
**Reference Value**  
Cutoff: 300

### Phencyclidine

**Negative ng/mL**
**SDL**
**Reference Value**  
Cutoff: 25

### Chain of Custody

Chain of custody documents are on file in the Mayo Toxicology Laboratory.

### ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring or management of patients. It is not intended for use in employment-related testing.

**Received:** 17 Aug 2021 11:53

**Reported:** 17 Aug 2021 12:49

**SDL**

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592

Patient ID <b>SA00147362</b>	Patient Name <b>TESTING, CDAUX</b>	Birth Date <b>1990-08-08</b>	Gender <b>M</b>	Age <b>31</b>
Order Number <b>SA00147362</b>	Client Order Number <b>SA00147362</b>	Ordering Physician <b>CLIENT,CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>16 Aug 2021 08:00</b>		

## Carboxy-THC Confirmation, CoC, U

### Carboxy-THC Interpretation

**1** SDL

Negative.  
Discrepancy noted between immunoassay result and GC/MS result. The GC/MS result is the definitive result.

#### ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

### Carboxy-THC Immunoassay Screen


**Presumptive Positive**
**SDL**
**Reference Value  
Cutoff: 50**

### Carboxy-THC- by GC/MS

**SDL**
**Negative ng/mL**
**Reference Value  
Cutoff: 3**

### Chain of Custody

**SDL**

Chain of custody documents are on file in the Mayo Toxicology Laboratory.

**Received: 17 Aug 2021 11:53**
**Reported: 17 Aug 2021 13:12**

### Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592