

Overview

Reflex Tests

Test Id	Reporting Name	Available Separately	Always Performed
FMTHM	Meconium Methadone Confirm	No	No

Testing Algorithm

If screen is positive, then the Meconium Methadone Confirmation (FMTHM) will be performed at no additional charge.

Method Name

Immunoassay (IA); Chromatography/with Mass Spectrometry

NY State Available

Yes

Specimen

Specimen Type

Meconium

Specimen Required

Container/Tube: Sterile collection container

Specimen Volume: 3 g

Collection Instructions: Collect specimen into the same sterile collection container until 3 g of meconium have been collected or until the first milk stool appears. When at least 3 g of meconium has been collected, tightly screw on the cap of the collection vial and send specimen ambient.

Note: Specimens from different voids may be pooled if necessary.

Specimen Minimum Volume

1 g

Reject Due To

Hemolysis	NA
Lipemia	NA
Icterus	NA
Other	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Meconium	Ambient (preferred)	14 days	
	Frozen	365 days	
	Refrigerated	14 days	

Clinical & Interpretive

Reference Values

Initial presumptive testing by immunoassay at the following testing threshold:

Methadone: 50 ng/gm

Presumptive positive confirmed by definitive chromatography mass spectrometry (GC/MC or LC/MS-MS)

Performance

PDF Report

No

Day(s) Performed

Monday through Sunday

Report Available

1 to 6 days

Performing Laboratory Location

Medtox Laboratories, Inc.

Fees & Codes

Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

CPT Code Information

80307

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FFMTH	Meconium Methadone Scr/Confirm	43595-8

Result ID	Test Result Name	Result LOINC® Value
Z5603	Methadone	43595-8